

TABLE OF CONTENTS

INTRODUCTION

Welcome to the Bartle & Gibson Brand Guidelines. This document outlines the basic elements of our corporate identity and provides usage guidelines for a variety of applications. Adherence to these guidelines is essential in maintaining a consistent and professional public identity for Bartle & Gibson.

Our identity must be consistent across external and internal collateral in our Western Canadian offices, in presentations and at events.

Achieving an effective brand starts with a unified identity.

INTRODUCTION

The Bartle & Gibson logo serves as a graphical representation of the company's leadership, Canadian affiliation, as well as a tribute to Mr. Charlie Bartle and Mr. Cecil Gibson, the company's founders.

In all instances the BG icon should appear along with the Bartle & Gibson logo text. Exceptions must be approved by the marketing manager.



ALTERNATIVE ORIENTATIONS









Horizontal Logo



Horizontal Logo

LOGO SPACING



HORIZONTAL LOGO SPACING

This horizontal orientation is equally acceptable as the vertical orientation.

The BG icon should be the same distance left of "bartle & gibson" as the "e" and the "&" or as the "g" and the "&" in the logo text.



VERTICAL LOGO SPACING

This vertical orientation is equally acceptable as the horizontal orientation.

The BG icon should be the same distance above "bartle & gibson" as the horizontal space between the "e" and the "&" or as the "q" and the "&" in the logo text.

LOGO ALIGNMENT







HORIZONTAL LOGO ALIGNMENT

The BG icon should be aligned so that the center "o" shape of the BG icon is aligned to the bottom of the "bartle & gibson" logo text as demonstrated here.

VERTICAL LOGO ALIGNMENT

The BG icon in the Bartle & Gibson logo is heavily weighted on its ride side. As a result of this, the logo appears out of place when perfectly aligned vertically.

To compensate, a modified vertical alignment should be used. The modified alignment is demonstrated here. Namely the "BG" icon is aligned vertically with the logo text as though the half Canadian maple leaf didn't exist as part of the BG icon.

LOGO BUFFER ZONE





The center "o" shape of the BG icon is the appropriate height and width to account for a buffer zone around the logo.

This is the minimum empty space required to be around the logo and is directly proportionate to the logo size.



VERTICAL LOGO BUFFER ZONE

The center "o" shape of the BG icon is the appropriate height and width to account for a buffer zone around the logo.

This is the minimum empty space required to be around the logo and is directly proportionate to the logo size

GENERAL GUIDELINES



Primary logo on white



Primary logo on black

The Bartle & Gibson logo should mostly be used in one of the four color schemes represented here.

Other variations may be accepted, but need to be approved by the marketing manager. Contact information can be found at the end of this document



Primary logo on pantone



Grey scale logo

SMALL SIZE APPLICATIONS





Horizontal Logo minimum width 0.75" or 60px



Vertical Logo minimum width .5" or 40px If Bartle & Gibson's logo will appear on a collateral piece requiring the BG icon to be less then 40 pixels or 1/2 inch in width the logo without "Plumbing | Heating | Electrical" should be used.

This variation of Bartle & Gibson's logo is much more easily read compared to the icon with PHE. The smaller icon needs to be easily readable.

SCENARIOS TO AVOID

These examples demonstrate some scenarios that should be avoided when using the logo.



Skewing or stretching the logo in any way



Moving the location of the BG icon



Placing the BG icon below the logo text



Placing the logo on a photograph background



Changing the color of the logo



Changing the angle in which the logo appears

PLUMBING | HEATING | ELECTRICAL



When using the "Plumbing | Heating | Electrical" tagline as part of the B&G logo, it must be placed next to the logo as shown here.

In instances where the product line cannot appear in one of the two formations, the marketing manager should be consulted for approval. Contact information can be found at the end of this document.



CORPORATE ASSETS


MAPLE LEAF URL

bartlegibson.com



bartlegibson.com







The maple leaf url is to be used as a graphic addition only. It is not to be used with the BG icon under any circumstances.

The leaf url is to be displayed on a black, white, yellow, or burgundy background only. Do not use the maple leaf on its own. It must be used with the website url. Please only use the "Bartle Bold" font for the URL.

See letterhead examples here.

PRIMARY HEADER FONT



Roboto Condensed

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz (.;:?!\$&@*)0123456789

This font should be used in all instances requiring title text or a heading. Roboto Condensed Semibold may also be used as a heading text in instances where Roboto Condensed Semibold has been used as a title.

Roboto Condensed can be found at fonts.google.com for free.

Weights:

Roboto Condensed Regular

Roboto Condensed Italic

Roboto Condensed Semibold

Roboto Condensed Semibold Italic

PRIMARY BODY FONT



Roboto Condensed

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz (.;:?!\$&@*)0123456789

This font can be used with most variations of weight and should be the primary body font on a collateral piece.

Roboto Condensed can be found at fonts.google.com for free.

Weights:

Roboto Condensed Regular

Roboto Condensed Italic

Roboto Condensed Medium

Roboto Condensed Medium Italic

Roboto Condensed Semibold

Roboto Condensed Semibold Italic

15

CORPORATE NAME FONT



Bartle Bold

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz (.::?!\$&@*)0123456789

Bartle Bold is only available in a single weight (bold). This font should be used for the website only. Bartle Bold can be downloaded at bartlegibson.com/downloads.

Headings, subheadings, body copy & captions should not use this font unless referencing the website. Example: "You can find this information at bartlegibson.com"

Weights:

Bartle Bold

SUMMARY

Lorem ipsum dolor sit amet! Consectetur adipiscing elit.

In et purus est, ac adipiscing tortor. Vestibulum fermentum fermentum tincidunt. Aliquam ut tortor elit. *Nunc nisi*.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In et purus est, ac adipiscing tortor. Vestibulum fermentum fermentum tincidunt. Aliquam ut tortor elit. Nunc nisi mi, volutpat id vehicula in, blandit non ligula. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenae-os. Proin mi mauris, fringilla eget fermentum et, vehicula vel nisi. Nulla lorem elit, accumsan ut commodo sed, fermentum ac ligula. Ut gravida placerat felis, ut volutpat nisl mollis eget. Vestibulum venenatis convallis vehicula. Proin sit amet justo eros.

bartlegibson.com

Primary Header Weights:

Roboto Condensed Regular

Roboto Condensed Italic

Roboto Condensed Semibold

Roboto Condensed Semibold Italic

Primary Body Weights:

Roboto Condensed Regular

Roboto Condensed Italic

Roboto Condensed Medium

Roboto Condensed Medium Italic

Roboto Condensed Semibold


Roboto Condensed Semibold Italic

Corporate Font Weights:

Bartle Bold

CORPORATE COLOURS

PRIMARY COLOUR PALETTE



Pantone 209C should always be used as the main brand colour, either on its own or through the geometric background asset. For artwork purposes, hex ECB41F (mustard yellow) may be used as a secondary colour. For typographical use, hex 4C4C4E may be used in place of or alongside black.


INTRODUCTION

The Bartle & Gibson website was revamped and launched late 2024. During this time, web guidelines were created seperately from the standard Bartle & Gibson brand guidelines.

All guidelines after this page are referring to our website, bartlegibson.com.

Any changes or shifts in the branding on the website must be approved by the contacts at the end of these guidelines.

COLOUR PALETTE



^{*} These colours may not be 100% accurate. Always type in the hex code instead of using an eyedropper tool.

PRIMARY FONT



Roboto

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz (.;:?!\$&@*)0123456789

This font can be used with most variations of weight and should be the primary body font on the website.

Roboto can be found at fonts.google.com for free.

Weights:

Roboto Regular Roboto Medium Roboto Bold

PRIMARY FONT HIERARCHY

HIERARCHY

HIERARCHI	PROPERTIES	U3AGE
Heading 1	Roboto Bold, 46pt	Hero Banner Headlines Page Titles
Heading 2	Roboto Bold, 36pt	Section Titles
Heading 3	Roboto Medium, 32pt	Modal Titles
Heading 4	Roboto Medium, 28pt	Section Titles Global Dropdown Titles
Heading 5	Roboto Medium, 24pt	eSpot Titles
Heading 6	Roboto Medium, 18pt	Pricing/Unit of Measure Tabs My Account Navigation Headers Callouts & Intro Body Copy
Body Text 1	Roboto Medium, 15pt	Product Titles (Tables & Search Overlay) Category Titles Links/CTAs (Standard)
Body Text 2	Roboto Regular, 15pt	Body Copy Form Field Labels/Inputs/Footer Links
Body Text 3	Roboto Medium, 14pt	Links/CTAs (Small)
Body Text 4	Roboto Medium, 13pt	Brand, Manufacturer, Customer & Product ID numbers

PROPERTIES

USAGE

Bartle & Gibson Brand Guidelines 22

Availability Information

ICONOGRAPHY



DISPLAY ELEMENTS

LINKS **LISTS PAGINATION**

View All Brands →

Primary - Enabled

View All Brands →

Primary - Hover

View All Brands →

Primary -Disabled (Opacity 50%)

View All Brands→

Primary - Small

View All Brands

Secondary - Enabled

View All Brands

Secondary - Hover

View All Brands

Secondary -Disabled (Opacity 50%)

View All Brands

Secondary - Small

View All Brands

Tertiary - Enabled

View All Brands

Tertiary - Hover

Tertiary -

Disabled (Opacity 50%)

View All Brands

Tertiary - Small

Unordered nested list level 1

- Unordered Nested List Level
- Unordered Nested List Level
- Unordered nested list level 1
- Unordered nested list level 1

1. Ordered nested list level 1

- a. Ordered Nested List Level 2
- b. Ordered Nested List Level 2
- Ordered nested list level 1
- 3. Ordered nested list level 1

Page Set < 1 of 3 >


Dropdown Displayed

1 of 6 > Page 2

Page 3 Page 4


Page 5 Page 6


DISPLAY ELEMENTS




DISPLAY ELEMENTS

MODAL








LOADING ICON

TOOLTIPS



TABS

Tab One	Tab Two	Tab Three	Tab Four
Enabled			
Tab One	Tab Two	Tab Three	Tab Four
Hover			
Tab One	Tab Two	Tab Three	Tab Four
Focus			

DISPLAY ELEMENTS

NOTIFICATIONS

Inline notifications:
One line

Warning notification: Subtitle text goes here.

X

Width can vary but should be the same if multiple notifications appear at once

Error notification: Subtitle text goes here.

X


Success notification: Subtitle text goes here.

X

Inline notifications: Multi-line

Width can vary

Toast notifications



Warning notification multi-line:
Here is an explanation. It drops to next line if content is too long.

Informational notification multi-line:
Here is an explanation. It drops to next line if content is too long.

Error notification multi-line:
Here is an explanation. It drops to next line if content is too long.

DISPLAY ELEMENTS

TABLES

PRODUCT DESCRIPTION	LAST PURCHASED	PRICE		
Crimping Tool Klein 1005	05/30/2021	\$47.50 / EA	- 1	+
2in 0-100psi 1/4in Gauge Pressure	05/30/2021	\$1.98 / EA	- 1	+
1L Corrosion Inhibitor (Molybdate Based) Heatlink 01205	05/30/2021	\$40.76 / EA	- 1	+
2 Hole Drain Sump 11x11x16in w/ Lid TUF-TITE 2HDS-1	05/27/2021	\$95.52 / EA	- 1	+
WS10 Cartridge (26087) Aqua Flo 15500143 (S1)	05/27/2021	\$4.55 / EA	- 1	+
LIST NAME	LAST UPDATED	TOTAL		
2350 Morrison Ave	LAST UPDATED 05/05/2021	TOTAL \$36,957.26		
2350 Morrison Ave	05/05/2021	\$36,957.26		

INTERACTIVE ELEMENTS

PRIMARY, SECONDARY, AND TERTIARY CTAS


Primary Button Secondary Button Tertiary Button **Primary Button** Ĭ PRIMARY SECONDARY ADD TO CART TERTIARY Enabled Enabled Enabled Enabled Hover Hover Hover Hover 严 PRIMARY **SECONDARY** TERTIARY ADD TO CART Focus Focus Focus Focus Ë **PRIMARY SECONDARY TERTIARY** ADD TO CART Disabled Disabled Disabled Disabled **PRIMARY** TERTIARY (Opacity 50%) (Opacity 50%) (Opacity 50%) (Opacity 50%) Ē Small PRIMARY Small SECONDARY Small TERTIARY Small ADD TO CART **Button Grouping** Active 7 PRIMARY SECONDARY **TERTIARY** Success ADDED TO CART

CART CTAS


INTERACTIVE ELEMENTS

TEXT INPUTS

Sizes set below are standard, except for inputs on product carousels and detail pages, which is set at a 32px height.




INTERACTIVE ELEMENTS



INTERACTIVE ELEMENTS

SELECTS



INTERACTIVE ELEMENTS

DROPDOWN FILTERABLE DROPDOWN Default Default Open / New Open / New Q Filter Dropdown Label Q Filter Dropdown Label (width can vary) Selection (width can vary) Selection Option two Option two Option three Option three Hover Hover Q Filter I Dropdown Label [(only a cursor (only a cursor change) change) New Selection New Selection Option One Q Option One Focus Focus Q Filter Dropdown Label Validation Validation Q Filter Dropdown Label ~ Error message Error message Open / Focus Open / Focus Q Filter Dropdown Label ^ ^ Option one Option one Disabled Disabled Option two Option two (Opacity 50%) (Opacity 50%) Option three Option three

CONTACT INFO

All company communications should conform to the correct brand guidelines For specific questions, please contact Bartle & Gibson's marketing department.

Joshua Pedersen
Director of e-Commerce
& Marketing

joshp@bartlegibson.com 825.609.6018