

# 1941-12-C1D2-16

TRANSFORMER XP CLASS 1 DIV 2, LOW VOLTAGE W/  
PRIMARY = NEMA 5-15 (ENP5151) HAZARDOUS LOCATION  
PLUG & SECONDARY = NEMA 6-20 (UGRP-20232F)  
RECEPTACLES (QTY 4)



## Key features



- Designed to meet NEC and OSHA Code Requirements for LV Lighting when used in Damp or Confined Space Applications
- Transformers, in corrosion resistant, impact resistant non metallic enclosures, convert 120vac to 12vac for areas where 12v is required
- Available in standard N5-15 receptacles or non-NEMA CF style for fixtures with dedicated 12vac lamps
- Portable transformers are available with 2 and 4 receptacles providing 12vac power - Each Receptacle is individually overload protected
- Portable Transformer is provided with standard N5-15, 120V Plug

Color	Gray
-------	------

UPC Code	782862905173
----------	--------------

Country of Origin	USA
-------------------	-----

## Specifications

Category	Hazardous Location Grade
----------	--------------------------

Sub Category	Transformer - Low Voltage
--------------	---------------------------

Brand	Ericson
-------	---------

## Technical Info

<b>Bulb Type</b>	LED 12V
<b>Cable Length</b>	6
<b>Cable</b>	14/3
<b>Cable Type</b>	SOW
<b>Max Amps</b>	15
<b>Max Volts</b>	12
<b>Primary Cable End</b>	NEMA 5-15 (ENP5151) Hazardous Location Plug
<b>Secondary Cable End</b>	NEMA 6-20R (UGRP-20232F) Receptacles (Qty 4)
<b>NEMA Environment</b>	Class I, Division 2 Groups B,C,D
<b>Construction</b>	Enclosed low voltage transformer in a fiberglass enclosure

## Standards & Certifications

<b>ETL</b>	ETL Listed to UL 1012
<b>cETL</b>	cETL Listed to UL 1012

## Shipping & Logistics Info

<b>Pack/Unit Qty</b>	1
<b>HTS code</b>	8504314035
<b>ECCN</b>	EAR99
<b>Gross Weight (lbs)</b>	25.00000
<b>Length (in)</b>	17
<b>Warranty</b>	1 Year

# Accessories



**PART#:**

123100LEDXPI-5L-16



**PART#:**

123100LEDXPI-6L-16



Ericson Manufacturing Company  
4323 Hamann Parkway  
Willoughby, OH 44094, USA



1-800-374-2766  
info@ericson.com

ericson.com